L Number	Hits	Search Text	DB	Time stamp
-	1551	345/204.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:41
-	94	345/204.ccls. and active adj matrix adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:42
-	0	345/204.ccls. and active adj matrix adj display and dispaly adj element	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:42
-	22	345/204.ccls. and active adj matrix adj display and display adj element	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:42
-	22	345/204.ccls. and active adj matrix adj display and display adj element$1 and driv$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:10
-	4	345/204.ccls. and active adj matrix adj display and display adj element$1 and driv$6 adj method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:45
-	1	345/204.ccls. and active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:45
-	3	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scann$6 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:46
-	3	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scan$6 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:46
-	1	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and video adj signal$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:47
-	1	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and video adj signal$1 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:47
-	1	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and video adj signal$1 adj electrode$1 and common adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:51
-	3	active adj matrix adj display and display adj element$1 and driv$6 adj method and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:50

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

-	2	active adj matrix adj display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and video adj signal$1 adj electrode$1 and common adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:54
-	6	active adj matrix adj display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:54
-	1	active adj matrix adj display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and video and storage adj capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 11:10
-	6	active adj matrix adj display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and video and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 10:55
-	11	active adj matrix adj display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 11:10
-	221	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:49
-	38	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 11:11
-	23	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 11:14
-	21	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:23
-	24	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 13:44
-	36	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 13:58
-	2	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period and video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 14:03
-	1	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period and Cgd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:31

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

-		2	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and Cgd and Cst	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:56
-		6	display and Cgd and Cst and Ctot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:57
-		32	display and Cgd and Cst	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:07
-		0	display and Cgd and Cst and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period and video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 15:48
-		1	display and Cgd and Cst and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:41
-		20	display and Cgd and Cst and flicker$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:08
-		18	display and Cgd and Cst and flicker$6 and reduc$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:10
-		5	display and Cgd and Cst and flicker$6 and reduc$6 and feed$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:10
-		26	display and Cgd and Cst and pixel adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:42
-		6	display and Cgd and Cst and pixel adj electrode$1 and scan$6 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:42
-		5	display and Cgd and Cst and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:42
-		2	display and Cgd and Cst and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:42
-		5	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and video and storage adj capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:47

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

-		1	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period and Cgd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 07:49
-		1	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period and organic and electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:24
-		3	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and organic and electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:26
-		4	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and (common adj electrode$1 or counter adj electrode) and organic and electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:28
-		5	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and organic and electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:28
-		9	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and organic and electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:09
-		4	display and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and organic adj electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:35
-		0	display and organic adj electro-luminescence adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:36
-		245	display and organic adj electro-luminescence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:41
-		1	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 adj electrode$1 and switch$9 and signal$1 adj electrode$1 and common adj electrode$1 and storage adj capacitance and circuit and polarities and different and period	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:41
-		6	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:42
-		21	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:42
-		11	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal and data and video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:43

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

–		5	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal and data and video and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:43
–		10	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal and data and video and switch$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:43
–		10	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal$1 and data and video and switch$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:43
–		17	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:47
–		21	display and organic adj electro-luminescence and pixel adj electrode$1 and scan$6 and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:47
–		39	display and organic adj electro-luminescence and pixel adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:49
–		185	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:09
–		17	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:09
–		147	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:10
–		28	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic$6 and scan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:10
–		103	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic$6 and scan$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:10
–		0	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic$6 and scan$6 adj elecrtode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:10
–		4	display and pixel adj electrode$1 and organic and electro-luminescence and current and control$6 and optic$6 and scan$6 adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:11
–		61	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:32

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

-	55	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance and control$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:33
-	55	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and control$6 and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:33
-	10	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and control$6 and voltage and display adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:34
-	6	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and control$6 and voltage and display adj medium and positive and negative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:34
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and control$6 and voltage and display adj medium and positive and negative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:35
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and control$6 and voltage and display adj medium and positive and negative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:35
-	0	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and superimpos$6 and control$6 and voltage and display adj medium and positive and negative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:35
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and pixel adj electrode$1 and control$6 and voltage and display adj medium and positive and negative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:39
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and pixel adj electrode$1 and control$6 and voltage and display adj medium and positive and negative and polarit$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:39
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and pixel adj electrode$1 and control$6 and voltage and display adj medium and positive and negative and polarit$6 and (common or counter) adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:40
-	4	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 and coupling and voltage and pixel adj electrode$1 and control$6 and voltage and display adj medium and positive and negative and polarit$6 and (common or counter) adj electrode$1 and storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:52
-	1	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 adj storage and pixel adj electrode$1 and control$6 and voltage and display adj medium and positive and negative and polarit$6 and (common or counter) adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:53

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el

-		2	345/204.ccls. and active adj matrix adj display and driv$6 and capacitance$1 adj storage and pixel adj electrode$1 and control$6 and voltage and positive and negative and polarit$6 and (common or counter) adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:59
-		3	345/204.ccls. and active adj matrix adj display and driv$6 and storage adj capacitance$1 and pixel adj electrode$1 and control$6 and voltage and positive and negative and polarit$6 and (common or counter) adj electrode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:00

C:\APPS\EAST\Workspaces\10049583 Active matrix display device, its driving method, and display el